

Pressure Gauges

Material pressure measurement



Product Families

- » **Pressure gauges** – vertical, horizontal, bottom or back connection



Pressure Gauges

Material pressure measurement

Description

Dürr has a broad range of gauges for paint material pressure measurement. Whichever you choose you can rely on high quality reliability of these parts.

Product Line



Type	Pressure gauge 0-25bar D63 G1/4" down VA	Pressure gauge 0-10bar D63 G1/4" back	Pressure gauge 0-10bar D63 G1/8" down VA	Pressure gauge 0-10bar D63 G1/8" back VA
Part No.	W07010198	W07010199	W07010200	W07010201
Range	0-25bar (0-360psi)	0-10bar (0-145psi)	0-10bar (0-145psi)	0-10bar (0-145psi)
Connector	G 1/4"	G 1/4"	G 1/8"	G 1/8"
Diameter	63 mm (2.5 inch)	63 mm (2.5 inch)	63 mm (2.5 inch)	63 mm (2.5 inch)
Filling liquid	Glycerine	Glycerine	Glycerine	Glycerine
Connector position	down	back	down	back



Type	Pressure gauge 0-10bar D63 G1/4" down	Pressure gauge 0-25bar DN25 vertical	Pressure gauge 0-25bar DN25 horizontal	Pressure gauge 0-25bar D63 G1/4" back VA
Part No.	W07010202	W07010223	W07010238	W07010242
Range	0-10bar (0-145psi)	0-25bar (0-360psi)	0-25bar (0-360psi)	0-25bar (0-360psi)
Connector	G 1/4"	DN25	DN25	G 1/4"
Diameter	63 mm (2.5 inch)	101 mm (4 inch)	101 mm (4 inch)	63 mm (2.5 inch)
Filling liquid	Glycerine	Glycerine	Glycerine	Glycerine
Connector position	down	vertical	horizontal	back



Type	Pressure gauge 0-16bar D63 G1/8" centr.	Pressure gauge 0-400bar G1/2" - filled	Pressure gauge 0-400bar G1/2"
Part No.	W07010261	W07010287	W07010293
Range	0-16bar (0-230psi)	0-400bar (0-5800psi)	0-400bar (0-5800psi)
Connector	G 1/8"	G1/2"	G1/2"
Diameter	63 mm (2.5 inch)	68 mm (2.5 inch)	68 mm (2.5 inch)
Filling liquid	Glycerine	Glycerine	none
Connector position	center	back	back

Pressure Gauges

Material pressure measurement

Product Line




Type	Pressure gauge 0-16bar D63 G1/8"	Pressure gauge 0-250bar D63 G1/4" RADIAL	Pressure gauge 0-250bar D63 G1/4" CENTR.	Pressure gauge 0-400bar D63 G1/2" RADIAL
Part No.	W07010353	W07010354	W07010355	W07010356
Range	0-16 bar (0-230psi)	0-250 bar (0-3,600psi)	0-250 bar (0-3,600psi)	0-400 bar (0-5,800psi)
Connector	G 1/8"	G 1/4"	G 1/4"	G 1/2"
Diameter	68 mm (2.75 inch)	68 mm (2.75 inch)	68 mm (2.75 inch)	68 mm (2.75 inch)
Filling liquid	Glycerine	Glycerine	Glycerine	Glycerine
Connector position	Bottom connection radial	Bottom connection radial	Back center connection	Bottom connection radial



Type	Pressure gauge 0-500bar D63 G1/2" RADIAL	Pressure gauge 0-500bar D63 G1/2" ZENTR.
Part No.	W07010357	W07010358
Range	0-500 bar (0-7,250psi)	0-500 bar (0-7,250psi)
Connector	G 1/2"	G 1/2"
Diameter	68 mm (2.75 inch)	68 mm (2.75 inch)
Filling liquid	Glycerine	Glycerine
Connector position	Bottom connection radial	Bottom connection radial

Technical Illustration



Customer Benefits

- » Silicon free
- » Wide pressure range
- » Robust design
- » Made from stainless steel
- » Suitable ATEX Zone 1 and 2
- » High overload capability